

PAVEMENT NOTES:

GENERAL:
PREPARE SUBGRADE IN ACCORDANCE W/ SOIL REPORT AND PROVIDE FIELD TESTING BY TERRA CONSULTANTS, INC.

LIGHT DUTY PAVEMENT: (L.D.)
250#/YD. OF #2 SLAG OR COARSE CRUSHED STONE COMPACTED INTO EARTH SUBGRADE
6" - #304 GRANULAR BASE
2" - #402 ASPHALT BASE COURSE
1" - #404 ASPHALT SURFACE COURSE

HEAVY DUTY PAVEMENT: (H.D.)
7" CONCRETE PAVEMENT - 3500 PSI
6% AIR ENTRAINMENT, W/ 6x6 #4/4 W.W.M.
ON COMPACTED EARTH SUBGRADE



SITE RESUME'

TOTAL BUILDING AREA	- 88,300 S.F.
PARKING REQ'D 1SP/350 S.F.	- 247 SPACES
PARKING PROVIDED	- 256 SPACES
LOT COVERAGE	- 31%

NOTES:

1. WORK THIS DRAWING W/ SITE IMPROVEMENTS DWGS 1-4 BY CARL ANDREANO & ASSOC.
2. GENERAL CONTRACTOR SHALL STRIP TOPSOIL @ START OF CONSTRUCTION, & STOCKPILE FOR LATER REDISTRIBUTION. G.C. SHALL BRING ALL AREAS TO FINAL ROUGH GRADES READY FOR LANDSCAPING. ALL LANDSCAPING BY OWNER.

SITE PLAN

SCALE 1" = 30'-0"

revisions:
6-7-83
JULY 1, 1983
AUG 5, 1983
SEPT. 26, 1983
GENERAL REVISION MAR. 28, 1984

title:
MULTI-TENANT BUILDING
WESTLAKE, OHIO

w.r. davison · architect
24650 center ridge road · suite 131 · westlake, ohio 44145 · (216) 835-3957

STATE OF OHIO · WILLIAM R. DAVISON 5261 · REGISTERED ARCHITECT

date: MAY 16, 1983
job no. 83-019

drawing: SP-1